SNOWMOBILE TRAILERS FOR 1972

ALLOY FEATURES FOR 1972


- Water proof hubs
 (Patent No. 3460874)
- · Safety-lock for tilt decks
- All-steel, long life, louvered decks
- Concealed and protected light wiring
- Machine tie-downs standard equipment
- · Deck tilts for easy drive-on
- · Deck pivots for easy drive-off

SNOWMOBILE COVER KIT


- No special oversize trailer required
- Adapts to standard Alloy trailer
- Keeps highway salt and slush off machines
- Protects machines during summer storage
- Makes fine utility or motorcycle trailer with Alloy's cycle troughs
- Sides bolt to trailer frame and stay there while driving machines off and on
- Front and top remove easily
- Designed by Alloy for highway speeds and wind currents
- Installs on Model LS-7396-E



Trailer pivots 90° for easy drive-off. Note cover kit sides remain on trailer.



Trailer tilts for easy drive-on. Perfect balance of cover kit sides allows trailer to remain in tilted position for drive-on.




MODEL LS-7396-E

MODEL LS-6690 Model LS-7396-E
JUMBO DOUBLE

DESIGNED FOR TWO BIG MACHINES
Deck Size 73" wide x 96" long
Wheels under deck
Two sets of front & rear tiedowns
Capacity & tire size:
800# with 480-8 4PR

1200# with 650-8 6PR



Alloy Hubs Waterproofed Against Winter Road Slush and Salt Model LS-6690

ECONOMY DOUBLE

DESIGNED FOR TWO MACHINES

Deck Size 66" wide x 90" long

Wheels under deck

Two sets of front & rear tiedowns

Capacity & tire size:

800# with 480-8 4PR 1000# with 650-8 6PR



Model LS-7316-E

Rear deck tilts for drive-on loading Capacity 2000 pounds Four sets machine tie-downs standard Electric brakes standard Hydraulic brakes optional Tires: 800-10 10PR wide oval Deck size 16' long x 73" wide

New! TANDEM MODEL (not illustrated)

Knock-downs for shipping 4000 pound capacity Tires: 800-10 8PR wide oval 4 wheel electric brakes standard Hydraulic brakes optional Loading ramp optional Two decks bolt to heavy duty frame Assembled deck length 16' long x 73" wide Model No. LS-7316-T (Tandem)


WARRANTY

Alloy trailers are guaranteed for one year from the date of original purchase against defects in workmanship and materials. Parts not manufactured by Alloy are covered by original manufacturer's guarantees.

Model LS-3796

SINGLE DESIGNED FOR ONE MACHINE. Deck Size 37" wide x 96" long Galvanized fenders

Front & rear tiedowns Capacity & tire size: 500# with 480-8 2PR 900# with 480-8 4PR



ALLOY MARINE, inc.



Styled after the famous Alaskan Dog Sled . . . Alloy's folding "Mush" sleigh is constructed of welded steel, formed and reinforced for strength and ruggedness. Folding front snow-shield and white polyrope side lacing standard equipment. Carries 3 adults or 4 to 5 young-sters.


COLOR: Black or Tangerine.

DIMENSIONS: Overall length 8', width 24". Comes completely assembled, folded in a carton 6' long & 10" high, weighing only 98 lbs.

ACCESSORIES: All new steel hinged seat folds completely out of way under cushion when not in use.

11/2" thick foam rubber cushion with tough reinforced vinyl cover is also available for added "Fun with comfort".

THE ORIGINAL FOLDING SNOW-SLED READY IN SECONDS FOR TRUCK OR TRAILER STORAGE.



ALLOY MARINE, inc.

Algonac, Michigan

Phone: 313 794-3662